









BS - T 16		Dış Ölçüler	608 x 790 x 1051,5 mm.	Outside Dim.	608 x 790 x 1051,5 mm.
		Kapasite	500 Dilim / Saat	Capacity	500 Slice / Hour
		Dilim Kalınlığı	16 mm.	Slice Thickness	16 mm.
		Toplam Elektrik Gücü (kW)	0,37 kW.	Total Power (kW)	0,37 kW.
		Elektrik Besleme Gerilimi (V/A)	220 V F+N / 2 A.	Power Supply Voltage (V/A)	220 V F+N / 2 A.
		Besleme Kablosu	3 x 1,5 H07RN-F	Power Supply Cable	3 x 1,5 H07RN-F
		Ağırlık	135 Kg.	Weight	135 Kg.
NO.	AÇIKLAMA	DESCRIPTION		ÜRÜN NO. / ITEM NO	ADET / PCS.
1	GÖVDE	MAIN BODY		BS-C_01	1
2	ÇEKMECE	DRAWER		BS-C_02	1
3	ÖN TARAK SAÇI	FRONT SHEET REED		BS-C_03	1
4	EKMEK YÖNLENDİRİCİ	BREAD ROUTER		BS-C_04	2
5	KORUMA SAÇI	PROTECITON SHEET		BS-C_05	2
6	ÜST KAPAK	TOP COVER		BS-C_06	1
7	EKMEKLİK	BREAD BIN		BS-C_07	1
8	BASKI TARAK	PRINT REED		BS-C_08	1
8A	KULP	HANDLE		BS-C_08A	1
8B	BASKI TARAK ANA SAÇ	PRINT REED MAIN SHEET		BS-C_08B	1
8C	TARAK	REED		BS-C_08C	1
8D	HAREKET APARATI	MOTION APPARATUS		BS-C_08D	1
8E	BASKI TARAK YAYI	PRINT REED SPRING		BS-C_08E	2
9	SÜRÜCÜ	AUTOIST		BS-C_09	1
9A	SÜRÜCÜ KAPAK	AUTOIST COVER		BS-C_09A	1
9B	SÜRÜCÜ TARAK	AUTOIST REED		BS-C_09B	1
10	ARKA SAÇ	BACK SHEET		BS-C_10	1
11	KASET TAKIMI	TRAY KIT		BS-C_11	1
12	BİÇAK	KNIFE		BS-C_12	28
13	VOLANT YÜZÜĞÜ	FLYWHEEL RING		BS-C_13	1
14	VOLANT MİLİ	SHAFT FLYWHEEL		BS-C_14	1
15	VOLANT	FLYWHEEL		BS-C_15	1
16	KAYIŞ	BELT		BS-C_16	1
17	MOTOR KASNAK	MOTOR PULLEY		BS-C_17	1
18	MOTOR	MOTOR		BS-C_18	1
19	KOL YAYI	ARM SPRING		BS-C_19	1
20	SENSÖR	SWITCH		BS-C_20	1
21	KOL	ARM SPRING		BS-C_21	1
22	40 x 40 ROTİL AYAK TAKIM	40 x 40 BALL JOINT KIT		BS-C_22	2
23	80 x 25 SABİT TEKER	80 x 25 WHELL STABLE		BS-C_23	2
24	ACİL STOP	EMERGENCY STOP		BS-C_24	1
25	LAMBA	LAMP		BS-C_25	1
26	REKOR	FEEDING CABLE SOCKET		BS-C_26	1
27	BESLEME KABLOSU	FEEDING CABLE		BS-C_27	1
28	ŞALTER	POWER SWITCH		BS-C_28	1

	ÜRÜN ADI / PRODUCT	TARİH / DATE	DETAY RESİM LİSTESİ DETAIL PICTURE LIST
	BS - T 16	12.06.2018	SAYFA NO: 2 / 4 PAGE NO.: 2 / 4



BS-C - EKMEK DİLİMLEME MAKİNASI
BS-C - BREAD SLICING MACHINE



NO	AÇIKLAMA / DESCRIPTION	NO	AÇIKLAMA / DESCRIPTION
S1	1 FAZ AÇMA-KAPAMA ŞALTERİ 1 PHASE ON-OFF SWITCH	L1	LAMBA / LAMP
S2	ANAHTAR / SWITCH	M	MOTOR
S3	ACİL DURMA / EMERGENCY STOP		