



PF 6292 DE





TARİH / DATE

13.08.2018

DETAY RESİM
DETAIL PICTURE

SAYFA NO: 1 / 4
PAGE NO.: 1 / 4

PF 6292 DE		Dış Ölçüler	890 x 1019 x 765 mm.	Outside Dim.	890 x 1019 x 765 mm.
		İç Ölçüler	2 x 620 x 920 x 150 mm.	Inside Dim.	2 x 620 x 920 x 150 mm.
		Pişirme Alanı	2 x 6 ad. Ø 30 cm.	Baking Arena	2 x 6 pcs. Ø 30 cm.
		Pişirme Taşı Ölçüleri	2 x 915 x 610 x 17 mm.	Baking Stone Dim.	2 x 915 x 610 x 17 mm.
		Termostat Aralığı (°C)	85 - 455 °C (4 ad. Bağımsız)	Thermostat Interval (°C)	85 - 455 °C (4 pcs. Independent)
		Aydınlatma	2 ad. 25 W.	Illumination	2 pcs. 25 W.
		Toplam Elektrik Gücü (kW)	8 x 1,5 kW = 12 kW.	Total Power (kW)	8 x 1,5 kW = 12 kW.
		Elektrik Besleme Gerilimi (V/A)	400 V 3F+N / 3 x 32 A.	Power Supply Voltage (V/A)	400 V 3F+N / 3 x 32 A.
		Besleme Kablosu	5 x 4 H07RN-F	Power Supply Cable	5 x 4 H07RN-F
		İç Tesisat Kablo ları	SI AF 2,5 mm²	Internal Cable	SI AF 2,5 mm²
		İzolasyon	Taş Yünü	Insulation	Rock Wool
		Ağırlık	157 kg.	Weight	157 kg.
NO.	AÇIKLAMA	DESCRIPTION		ÜRÜN NO. / ITEM NO	ADET / PCS.
1	GÖVDE	MAIN BODY		PF6292DE-01	1
2	YAN KAPAK	SIDE COVER		PF6292DE-02	2
3	ÖN PASLANMAZ ÇERÇEVE	FRONT STAINLESS FRAME		PF6292DE-03	1
4	EMAYE ÇERÇEVE	ENAMEL FRAME		PF6292DE-04	2
5	FIRIN ÖN KAPAK	OVEN FRONT COVER		PF6292DE-05	2
5A	M8 İMBUS CİVATA	M8 IMBUS PIN BOLT		PF6292DE-05A	4
5B	EMAYE KAPAK	ENAMEL COVER		PF6292DE-05B	2
5C	KAPAK İZOLASYONU	COVER ISOLATION		PF6292DE-05C	2
5D	GÖZETLEME CAMI	SIGHT GLASS		PF6292DE-05D	2
5E	PASLANMAZ KAPAK	STAINLESS COVER		PF6292DE-05E	2
5F	BAKALİT	BAKELITE		PF6292DE-05F	4
5G	ALÜMİNYUM KOL	ALUMINUM ARM		PF6292DE-05G	2
6	PİŞİRME KAZANI	COOKING BOILER		PF6292DE-06	2
7	PİŞİRME TAŞI	COOKING STONE		PF6292DE-07	2
8	BESLEME KABLOSU	FEEDING CABLE		PF6292DE-08	1
9	RAKOR	FEEDING CABLE SOCKET		PF6292DE-09	1
10	İÇ AYDINLATMA LAMBASI	INTERIOR LIGHTING LAMP		PF6292DE-10	2
10A	DUY	SOCKET		PF6292DE-10A	2
10B	AMPÜL	LAMP		PF6292DE-10B	2
10C	LAMBA CAMI	LAMP GLASS		PF6292DE-10C	2
11	ELEKTRİK MONTAJ PANOSU	ELECTRICAL MOUNTING PANEL		PF6292DE-11	1
12	PANEL	PANEL		PF6292DE-12	1
13	İÇ AYDINLATMA ANAHTARI	INTERIOR LIGHTING BUTTON		PF6292DE-13	2
14	İÇ AYDINLATMA ANAHTARI KORUMASI	INTERIOR LIGHTING BUTTON PROTECTION		PF6292DE-14	2
15	TERMOSTAT KONTROL LAMBASI	THERMOSTAT CONTROL LAMP		PF6292DE-15	4
16	TERMOSTAT DÜĞMESİ	THERMOSTAT BUTTON		PF6292DE-16	4
17	TERMOSTAT	THERMOSTAT		PF6292DE-17	4
18	REZİSTANS	RESISTANCE		PF6292DE-18	8
19	M6 KÖR SOMUN	M6 BLIND NUT		PF6292DE-19	4
20	M6 DÜZ RONDELA	M6 FLAT WASHER		PF6292DE-20	4
21	M6 YAYLI RONDELA	M6 SPRING WASHER		PF6292DE-21	4
22	M6 İMBUS CİVATA	M6 IMBUS PIN BLOT		PF6292DE-22	8
23	İZOLASYON	INSULATION		PF6292DE-23	1
24	FIRIN AYAK	OVEN FOOT		PF6292DE-24	5
25	İKİ FAZLI PAKO ŞALTER	TWO PHASE INTERRUPTION SWITCH		PF6292DE-25	2
26	TERMOMETRE (PF 6292 DE - T MODELİ İÇİN)	THERMOMETER (ONLY WITH PF 6292 DE - T)		PF6292DE-26	2
27	KONTAKTÖR	CONTACTOR		PF6292DE-27	4
		ÜRÜN ADI / PRODUCT		TARİH / DATE	
		PF 6292 DE		13.08.2018	
				DETAY RESİM LİSTESİ DETAIL PICTURE LIST	
				SAYFA NO: 2 / 4 PAGE NO.: 2 / 4	



ÜRÜN ADI / PRODUCT

PF 6292 DE


TARİH / DATE

13.08.2018

ÖLÇÜLENDİRME
MEASUREMENTS

SAYFA NO: 3 / 4
PAGE NO.: 3 / 4

PF 6292 DE PİZZA FIRINI - ELEKTRİK ŞEMASI
PF 6292 DE PIZZA OVEN - ELECTRICAL DIAGRAM



NO	AÇIKLAMA / DESCRIPTION	NO	AÇIKLAMA / DESCRIPTION	NO	AÇIKLAMA / DESCRIPTION	NO	AÇIKLAMA / DESCRIPTION	NO	AÇIKLAMA / DESCRIPTION	NO	AÇIKLAMA / DESCRIPTION	NO	AÇIKLAMA / DESCRIPTION
R1 ... R8	Rezistans / Resistance (1500 W)	T1 - T2 - T3 - T4	Termostat / Thermostat (85 - 455 °C)	H1 - H2 - H3 - H4	Termostat Kontrol Lambası Thermostat Control Lamp	S1 - S2	İki Fazlı Pako Şalter Two Phase Interruption Switch	H5 - H6	İç Aydınlatma Lambası Interior Lighting Lamp (25W)	S3 - S4	Aydınlatma Anahtarı Lighting Switch (T125 16A)	CON1 ... CON4	Kontaktör / Contactor



ÜRÜN ADI / PRODUCT

PF 6292 DE

TARİH / DATE

13.08.2018

ELEKTRİK ŞEMASI
ELECTRICAL DIAGRAM

SAYFA NO: 4 / 4
PAGE NO.: 4 / 4