








PF 70105 L		Dış Ölçüler	970 x 1173 x 765 mm.	Outside Dim.	970 x 1173 x 765 mm.
		İç Ölçüler	2 x 670 x 1030 x 150 mm.	Inside Dim.	2 x 670 x 1030 x 150 mm.
		Pişirme Alanı	2 x 6 ad. Ø 33 cm.	Baking Arena	2 x 6 ad. Ø 33 cm.
		Pişirme Taşı Ölçüleri	10 x 695 x 345 x 14 mm.	Baking Stone Dim.	10 x 695 x 345 x 14 mm.
			4 x 345 x 345 x 14 mm.		4 x 345 x 345 x 14 mm.
			2 x 695 x 140 x 14 mm.		2 x 695 x 140 x 14 mm.
			4 x 505 x 140 x 14 mm.		4 x 505 x 140 x 14 mm.
			2 x 525 x 140 x 14 mm.		2 x 525 x 140 x 14 mm.
			2 x 265 x 140 x 14 mm.		2 x 265 x 140 x 14 mm.
		Termostat Aralığı (°C)	85 - 455 °C (4 ad. Bağımsız)	Thermostat Interval (°C)	85 - 455 °C (4 pcs. Independent)
		Aydınlatma	2 ad. 25 W.	Illumination	2 pcs. 25 W.
		Toplam Elektrik Gücü (kW)	12 x 1,25 kW = 15 kW.	Total Power (kW)	12 x 1,25 kW = 15 kW.
Elektrik Besleme Gerilimi (V/A)	400 V 3F+N / 3 x 40 A.	Power Supply Voltage (V/A)	400 V 3F+N / 3 x 40 A.		
Besleme Kablosu	5 x 4 H07RN-F	Power Supply Cable	5 x 4 H07RN-F		
İç Tesisat Kabloları	SIAF 2,5 mm²	Internal Cable	SIAF 2,5 mm²		
İzolasyon	Taş Yünü	Insulation	Rock Wool		
Ağırlık	210 kg.	Weight	210 kg.		
NO.	AÇIKLAMA	DESCRIPTION	ÜRÜN NO. / ITEM NO	ADET / PCS.	
1	GÖVDE	MAIN BODY	PF70105L-01	1	
2	YAN KAPAK	SIDE COVER	PF70105L-02	2	
3	ÖN PASLANMAZ ÇERCEVE	FRONT STAINLESS FRAME	PF70105L-03	1	
4	EMAYE ÇERCEVE	ENAMEL FRAME	PF70105L-04	2	
5	FIRIN ÖN KAPAK	OVEN FRONT COVER	PF70105L-05	2	
5A	M8 İMBUS CİVATA	M8 İMBUS PIN BOLT	PF70105L-05A	4	
5B	EMAYE KAPAK	ENAMEL COVER	PF70105L-05B	2	
5C	KAPAK İZOLASYONU	COVER ISOLATION	PF70105L-05C	2	
5D	GÖZETLEME CAMI	SIGHT GLASS	PF70105L-05D	2	
5E	PASLANMAZ KAPAK	STAINLESS COVER	PF70105L-05E	2	
5F	BAKALİT	BAKELITE	PF70105L-05F	4	
5G	ALÜMİNYUM KOL	ALUMINUM ARM	PF70105L-05G	2	
6	PIŞİRME KAZANI	COOKING BOILER	PF70105L-06	2	
7A	KAZAN ALT VE ÜST TAŞ	BOILER SUB AND TOP STONE	PF70105L-07A	10	
7B	KAZAN ARKA TAŞ	BOILER BACK STONE	PF70105L-07B	2	
7C	KAZAN SAĞ ÖN TAŞ	BOILER RIGHT FRONT STONE	PF70105L-07C	2	
7D	KAZAN SAĞ ARKA TAŞ	BOILER RIGHT BACK STONE	PF70105L-07D	2	
7E	KAZAN SOL TAŞ	BOILER LEFT STONE	PF70105L-07E	4	
7F	KAZAN ÜST ÖN TAŞ	BOILER UPPER FRONT STONE	PF70105L-07F	4	
8	BESLEME KABLOSU	FEEDING CABLE	PF70105L-08	1	
9	RAKOR	FEEDING CABLE SOCKET	PF70105L-09	1	
10	İÇ AYDINLATMA LAMBASI	INTERIOR LIGHTING LAMP	PF70105L-10	2	
10A	DUY	SOCKET	PF70105L-10A	2	
10B	AMPÜL	LAMP	PF70105L-10B	2	
10C	LAMBA CAMI	LAMP GLASS	PF70105L-10C	2	
11	ELEKTRİK MONTAJ PANOSU	ELECTRICAL MOUNTING PANEL	PF70105L-11	1	
12	PANEL	PANEL	PF70105L-12	1	
13	İÇ AYDINLATMA ANAHTARI	INTERIOR LIGHTING BUTTON	PF70105L-13	2	
14	İÇ AYDINLATMA ANAHTARI KORUMASI	INTERIOR LIGHTING BUTTON PROTECTION	PF70105L-14	2	
15	TERMOSTAT KONTROL LAMBASI	THERMOSTAT CONTROL LAMP	PF70105L-15	4	
16	TERMOSTAT DÜĞMESİ	THERMOSTAT BUTTON	PF70105L-16	4	
17	TERMOSTAT	THERMOSTAT	PF70105L-17	4	
18	REZİSTANS	RESISTANCE	PF70105L-18	12	
19	M6 KÖR SOMUN	M6 BLIND NUT	PF70105L-19	4	
20	M6 DÜZ RONDELA	M6 FLAT WASHER	PF70105L-20	4	
21	M6 YAYLI RONDELA	M6 SPRING WASHER	PF70105L-21	4	
22	M6 İMBUS CİVATA	M6 İMBUS PIN BLOT	PF70105L-22	4	
23	İZOLASYON	INSULATION	PF70105L-23	1	
24	FIRIN AYAK	OVEN FOOT	PF70105L-24	5	
25	İKİ FAZLI PAKO ŞALTER	TWO PHASE INTERRUPTION SWITCH	PF70105L-25	2	
26	TERMOMETRE	THERMOMETER	PF70105L-26	2	
27	KONTAKTÖR	CONTACTOR	PF70105L-27	4	
		ÜRÜN ADI / PRODUCT		TARİH / DATE	DETAY RESİM LİSTESİ DETAIL PICTURE LIST
		PF 70105 L		13.08.2018	SAYFA NO: 2 / 4 PAGE NO.: 2 / 4



ÜRÜN ADI / PRODUCT

PF 70105 L


TARİH / DATE

13.08.2018

ÖLÇÜLENDİRME
MEASUREMENTS

SAYFA NO: 3 / 4
PAGE NO.: 3 / 4

PF 70105 L PİZZA FIRINI - ELEKTRİK ŞEMASI
PF 70105 L PIZZA OVEN - ELECTRICAL DIAGRAM



NO	AÇIKLAMA / DESCRIPTION	NO	AÇIKLAMA / DESCRIPTION	NO	AÇIKLAMA / DESCRIPTION	NO	AÇIKLAMA / DESCRIPTION	NO	AÇIKLAMA / DESCRIPTION	NO	AÇIKLAMA / DESCRIPTION	NO	AÇIKLAMA / DESCRIPTION
R1 ... R12	Rezistans / Resistance (1250 W)	T1 - T2 - T3 - T4	Termostat / Thermostat (85 - 455 °C)	H1 - H2 - H3 - H4	Termostat Kontrol Lambası Thermostat Control Lamp	S1 - S2	İki Fazlı Pako Şalter Two Phase Interruption Switch	H5 - H6	İç Aydınlatma Lambası Interior Lighting Lamp (25W)	S3 - S4	Aydınlatma Anahtarı Lighting Switch (T125 16A)	CON1 ... CON4	Kontaktör / Contactor



ÜRÜN ADI / PRODUCT

PF 70105 L

TARİH / DATE

13.08.2018

ELEKTRİK ŞEMASI
ELECTRICAL DIAGRAM

SAYFA NO: 4 / 4
PAGE NO.: 4 / 4